



IRONBARK

Eucalyptus paniculata
Eucalyptus drepanoph,
Eucalyptus siderophloia



Class 1 Durability



Termite Resistant



Bushfire rating
BAL29



Density
1100–1200 kg/m³



Hardness
14Kn

Applications

- Decking
- Cladding
- Flooring
- Structural posts and beams
- Landscaping & fencing

Ironbark is a premium Australian hardwood known for its exceptional strength, durability and natural resistance to termites. With a dense structure and distinctive steely sheen, its heartwood ranges from rich red to deep brown with a tight, straight grain. Sourced mainly from northern New South Wales and Queensland, Ironbark has a long history of use in heavy-duty applications such as railway sleepers, bridge construction, poles and structural framing.

At North Eden Timber, we recommend Ironbark for projects where beauty meets performance — making it an outstanding choice for decking, cladding and exterior applications that must endure Australia's harsh conditions while delivering timeless visual appeal.

Ironbark Properties

Common Names	Red Ironbark, Grey ironbark
Origin	NSW, Queensland, Victoria
Density (green)	1160kg/m ³
Density (dried)	1050kg/m ³
Janka Rating	14Kn
Termite Resistance	Naturally Resistant
Bushfire Rating	BAL 29
Durability Inground	More than 25 Years
Durability Above Ground	More than 40 Years
Lyctid Borer Susceptibility	Yes
Marine Borer Resistance	High
Tangential Shrinkage	6.3%
Radial Shrinkage	3.5%
Typical Colours	Dark red, browns
Availability	Readily Available



Why Choose Ironbark?

- Naturally durable hardwood for lifetime performance in Australia's harshest conditions
- Ideal for coastal, commercial and high-traffic environments
- Minimal maintenance required
- Sustainably grown and milled in Australia

Natural timber varies in colour, grain and texture and may include features such as gum veins, pinholes and surface checks. These characteristics are normal and do not affect performance. Samples and images are indicative only. External timber will weather naturally and appearance will vary based on exposure, coatings and maintenance.



02 6495 7877



18 Sir William McKell Drive, Pambula



www.northdentimber.com.au