



# WHITE CYPRESS

*Callitris glaucophylla*



Class 1 Durability



Termite Resistant



Bushfire rating  
BAL19



Density  
700kg/m<sup>3</sup> 850kg/m<sup>3</sup>



Moderately hard,  
Janka rating around  
6.4 kN

## Applications

- Decking
- Cladding
- Flooring
- Structural posts and beams
- Landscaping & fencing

White Cypress is a beautiful Australian softwood known for its natural durability and warm, light tones that range from pale yellow to honey brown. With its subtle grain and occasional knots, it brings a relaxed, welcoming feel to decks and outdoor areas. Naturally resistant to termites and well suited to Australia's harsh climate, White Cypress decking needs little upkeep to stay looking great. Sustainable and versatile, it's an ideal choice for both homes and commercial spaces, offering a blend of charm, strength and low maintenance for years of outdoor enjoyment.

## White Cypress Properties

Common Names	Australian Cypress, White Cypress Pine, Murray Pine, Western Cypress, Northern Cypress Pine, Callitris Glauca, Callitris Columellaris, Callitris Hugelii
Origin	NSW, Queensland, Victoria, South Australia
Density (green)	850kg/m <sup>3</sup>
Density (dried)	700kg/m <sup>3</sup>
Janka Rating	6.1Kn
Termite Resistance	Naturally Resistant
Bushfire Rating	BAL19
Durability Inground	15 - 25 Years
Durability Above Ground	More than 40 Years
Lyctid Borer Susceptibility	Not Susceptible
Marine Borer Resistance	Reasonably High
Tangential Shrinkage	2.8%
Radial Shrinkage	2.10%
Typical Colours	Warm pale straw Soft honey tones Light golden brown
Availability	Readily Available



## Why Choose White Cypress?

- Performs year after year in Australia's harsh and varied climates
- Perfect for external cladding, feature screening, fencing and outdoor structures
- Naturally durable with exceptional termite resistance and minimal upkeep
- Reliable fire performance, making it suitable for BAL-19 building zones
- Soft, creamy colour palette with characterful knots and distinctive grain

Natural timber varies in colour, grain and texture, and may show gum veins, pinholes or surface checks. These are normal and don't affect performance. Timber weathers naturally outdoors, and appearance may change with exposure, coatings and maintenance.

