**North Eden Timber**

Auction List 21/11/2025

| LOT # | TAG # | Species | Size mm | Description | Grade | LM |
|---|---|---|---|---|---|---|
| 1 | 14233 | Ironbark | 86x19 | Decking | Shorts | 22 |
| 2 | 141 | Blackbutt | 86x19 | Decking | Shorts | 20 |
| 3 | 142 | Ironbark | 86x19 | Decking | Shorts | 49 |
| 4 | 14173 | Ironbark | 86x19 | Decking | Shorts | 37 |
| 5 | 14435 | Spotted Gum | 86x19 | Decking | Shorts | 54 |
| 6 | 14222 | Ironbark | 135x19 | Decking | Shorts | 25 |
| 7 | 146 | Ironbark | 185x19 | Rusticated Cladding | Reject | 12 |
| 8 | 14341 | Ironbark | 86x19 | Decking | Shorts | 117 |
| 9 | 148 | Forest Red Gum | 86x19 | Decking | Shorts | 35 |
| 10 | 12977 | Stringybark | 135x19 | Decking | Shorts | 34 |
| 11 | 14319 | Ironbark | 86x19 | Decking | Shorts | 72 |
| 12 | 11697 | Mixed Hardwood | 135x19 | Decking | Shorts | 64 |
| 13 | 152 | Spotted Gum | 30x30 | Pencil Round Battens | High Feature | 90 |
| 14 | 12265 | Spotted Gum | 200x50 | Kiln Dried Skip Dressed | High Feature | 15 |
| 15 | 15221 | Spotted Gum | 40x32 | Arris Edge Battens | Shorts | 60 |
| 16 | 14626 | Blackbutt | 135x21 | Watershield Decking | Shorts | 28 |
| 17 | 14157 | Blackbutt | 86x19 | Decking | Shorts | 95 |
| 18 | 14607 | Blackbutt | 86x19 | Decking | Shorts | 40 |
| 19 | 158 | Blackbutt | 135x19 | Decking | Shorts | 61 |
| 20 | 15625 | Blackbutt | 86x19 | Decking | Shorts | 26 |
| 21 | 16722 | Ironbark | 135x21 | Decking | Shorts | 15 |
| 22 | 11212 | Spotted Gum | 135x19 | Decking | Shorts | 14 |
| 23 | 11207 | Ironbark | 135x19 | Decking | Shorts | 55 |
| 24 | 163 | Forest Red Gum | 135x21 | Watershield Decking | Shorts | 30 |
| 25 | 164 | Spotted Gum | 135x19 | Decking | Shorts | 31 |
| 26 | 11712 | Ironbark | 180x19 | Allure Sawn Face Cladding | Reject | 23 |
| 27 | 14394 | Spotted Gum | 170x21 | Splayed cladding | Reject | 64 |
| 28 | 34 | Forest Red Gum | 135x19 | Decking | Reject | 158 |
| 29 | 167 | Ironbark | 135x19 | Decking | High Feature | 65 |
| 30 | 48 | Forest Red Gum | 64x19 | Decking | High Feature | 104 |
| 31 | 61 | Ironbark | 86x19 | Decking | Reject | 144 |
| 32 | 27 | Spotted Gum | 135x19 | Decking | Reject | 172 |
| 33 | 174 | Blackbutt | 135x19 | Decking | Reject | 105 |

| | | | | | | |
|---|---|---|---|---|---|---|
| 34 | 78 | Spotted Gum | 86x19 | Decking | Reject | 196 |
| 35 | 80 | Blackbutt | 135x21 | Watershield Decking | Reject | 107 |
| 36 | 79 | Ironbark | 135x21 | Watershield Decking | Reject | 133 |
| 37 | 81 | Ironbark | 135x19 | Allure Cladding | Reject | 40 |
| 38 | 16677 | Mixed Hardwood | 80x14 | Lining Board 6mm SQ Rebate | Feature | 37 |
| 39 | 85 | Ironbark | 135x19 | Decking | Reject | 262 |
| 40 | 16714 | Blackbutt | 135x19 | Decking | Reject | 87 |
| 41 | 87 | Ironbark | 75x14 | Lining Board SQ rebate | Feature | 189 |
| 42 | 86 | Ironbark | 80x14 | Lining Board SQ rebate | Feature | 290 |
| 43 | 168 | Blackbutt | 135x19 | Allure Cladding | Reject | 37 |
| 44 | 169 | Spotted Gum | 130x40 | Decking | Reject | 25 |
| 45 | 170 | Mixed Hardwood | 70x30 | V-Joint Cladding | Shorts/weathered | 65 |
| 46 | 171 | Mixed Hardwood | 70x30 | V-Joint Cladding | Shorts | 100 |
| 47 | 14651 | Ironbark | 135x21 | Watershield Decking | Shorts | 50 |
| 48 | 14039 | Ironbark | 135x19 | Decking | Shorts | 44 |
| 49 | 99 | Blackbutt | 50x19 | Flooring | Reject | 81 |
| 50 | 98 | Forest Oak | 90x19 | Kiln Dried DAR | Reject | 43 |
| 51 | 97 | Spotted Gum | 40x40 | Pencil Round Battens | Reject | 82 |
| 52 | 109 | Ironbark | 290x30 | Kiln Dried DAR | Reject | 37 |
| 53 | 108 | Blackbutt | 190x35 | Kiln Dried DAR | Reject | 61 |
| 54 | 184 | Stringybark | 140x19 | Allure Cladding | Reject | 50 |
| 55 | 111 | Mixed Blondes | 80x14 | Lining Board V-Joint | Reject | 170 |
| 56 | 74 | Ironbark | 135x19 | Decking | Reject | 238 |
| 57 | 75 | Ironbark | 135x19 | Decking | Reject | 202 |
| 58 | 73 | Blackbutt | 135x19 | Decking | Reject | 282 |
| 59 | 110 | Mixed Hardwood | 80x14 | Lining Board T&G | Reject | 90 |
| 60 | 51 | Ash | 110x14 | Lining Board SQ Rebate | Reject | 265 |
| 61 | 47 | Ironbark | 80x14 | Lining Board V-Joint | Reject / water stain | 448 |
| 62 | 37 | Blackbutt | 135x19 | Allure Cladding | Reject | 191 |
| 63 | 36 | Ironbark | 135x19 | Allure Cladding | Reject | 209 |
| 64 | 35 | Ironbark | 135x19 | Allure Cladding | Reject | 212 |
| 65 | 113 | Ironbark | 140x21 | Shiplap Cladding | Reject | 24 |
| 66 | 112 | Spotted Gum | 130x19 | Flooring | Reject | 34 |
| 67 | 115 | Brushbox | 110x14 | Flooring | Reject | 78 |
| 68 | 114 | Ironbark | 86x19 | Allure Cladding | Reject | 49 |
| 69 | 175 | Mixed Hardwood | Misc | Misc Items | Reject | 15 |

| | | | | | | |
|---|---|---|---|---|---|---|
| 70 | 65 | Blue Gum | 86x19 | Decking | Reject | 234 |
| 71 | 72 | Spotted Gum | 135x21 | Watershield Decking | Reject | 151 |
| 72 | 176 | Forest Red Gum | 64x19 | Decking | Water stained | 286 |
| 73 | 63 | Ironbark | 135x19 | Decking | Reject | 244 |
| 74 | 70 | Ironbark | 135x19 | Decking | Reject | 155 |
| 75 | 67 | Blackbutt | 86x19 | Decking | Reject | 273 |
| 76 | 66 | Ironbark | 86x19 | Decking | Reject | 405 |
| 77 | 62 | Ironbark | 86x19 | Decking | Reject | 425 |
| 78 | 69 | Ironbark | 135x19 | Decking | Reject | 186 |
| 79 | 41 | Blackbutt | 86x19 | Allure Cladding | Reject | 88 |
| 80 | 119 | Ironbark | 135x19 | Domain Cladding | Recycled | 144 |
| 81 | 120 | Blackbutt | 40x40 | DAR Battens | Reject | 95 |
| 82 | 118 | Ironbark | 40x30 | Arris Edge Battens | Reject | 370 |
| 83 | 42 | Ash | 80x14 | Lining Board SQ Rebate | Reject | 362 |
| 84 | 50 | Ash | 130x14 | Lining Board SQ Rebate Sawn Face | Reject | 103 |
| 85 | 40 | Mixed Hardwood | 80x14 | Lining Board SQ rebate | Reject | 252 |
| 86 | 54 | Blackbutt | 135x19 | Rusticated Cladding | Reject | 103 |
| 87 | 53 | Mixed Hardwood | 110x14 | Lining Board SQ Rebate | Reject | 117 |
| 88 | 52 | Mixed Hardwood | 130x14 | Lining Board SQ Rebate | Reject | 230 |
| 89 | 44 | Ironbark | 80x14 | Lining Board SQ Rebate | Reject | 362 |
| 90 | 43 | Mixed Hardwood | 80x14 | Lining Board SQ Rebate | Reject | 595 |
| 91 | 38 | Spotted Gum | 80x14 | Lining Board SQ Rebate | Reject | 610 |
| 92 | 117 | Mixed Hardwood | 95x17 | Skip Dressed | Reject | 172 |
| 93 | 20 | Ironbark | 86x19 | Decking | Reject | 219 |
| 94 | 90 | Mixed Hardwood | 135x19 | Decking | High Feature | 45 |
| 95 | 92 | Ironbark | 135x30 | Decking | Reject | 24 |
| 96 | 10561 | Ironbark | 125x19 | Flooring | Reject | 42 |
| 97 | 11003 | Misc Hardwood | Misc | Skirting / Architraves | Recycled | 60 |
| 98 | 15334 | White Mahogany | 80x14 | Flooring | Reject | 60 |
| 99 | 15309 | Ash | 65x12 | Kiln Dried DAR | Reject | 89 |
| 100 | 14918 | Forest Red Gum | 64x19 | Decking | Shorts | 83 |
| 101 | 15128 | Silvertop Ash | 195x23 | Kiln Dried Skip Dressed | Reject | 45 |
| 102 | 124 | Blackbutt | 80x19 | Flooring | Reject | 525 |
| 103 | 16753 | Blackbutt | 80x19 | Flooring | Reject | 190 |
| 104 | 16464 | Blackbutt | 140x21 | Shiplap Cladding | Reject | 266 |
| 105 | 10144 | Mixed Hardwood | 125x19 | Flooring | Reject | 370 |

| | | | | | | |
|---|---|---|---|---|---|---|
| 106 | 10143 | Mixed Hardwood | 125x19 | Flooring | Reject | 348 |
| 107 | 16 | Spotted Gum | 135x19 | Decking | Reject | 165 |
| 108 | 21 | Spotted Gum | 86x19 | Decking | Reject | 116 |
| 109 | 71 | Blackbutt | 130x28 | Decking | Reject | 84 |
| 110 | 18 | Blackbutt | 86x19 | Decking | Reject | 275 |
| 111 | 22 | Spotted Gum | 86x19 | Allure Cladding | Reject | 261 |
| 112 | 23 | Ironbark | 86x19 | Decking | Reject | 146 |
| 113 | 24 | Mixed Blondes | 135x19 | Allure Cladding | Reject | 241 |
| 114 | 28 | Spotted Gum | 86x19 | Decking | Reject | 230 |
| 115 | 29 | Spotted Gum | 86x19 | Decking | Reject | 247 |
| 116 | 179 | Spotted Gum | 86x19 | Decking | Reject | 185 |
| 117 | 30 | Spotted Gum | 86x19 | Decking | Reject | 229 |
| 118 | 26 | Ironbark | 86x19 | Allure Cladding | Reject | 386 |
| 119 | 32 | Spotted Gum | 135x19 | Allure Cladding | Reject | 115 |
| 120 | 31 | Spotted Gum | 135x19 | Allure Cladding | Reject | 223 |
| 121 | 33 | Spotted Gum | 135x19 | Allure Cladding | Reject | 195 |
| 122 | 68 | Spotted Gum | 135x32 | Decking | Reject | 210 |
| 123 | 180 | Spotted Gum | 150x12 | Rough Sawn | Reject | 160 |
| 124 | 181 | Spotted Gum | 100x50 | Rough Sawn | Reject | 65 |
| 125 | 14 | Blackbutt | 135x19 | Decking | Reject/shorts | 199 |
| 126 | 19 | Ironbark | 86x19 | Decking | Reject | 321 |
| 127 | 13 | Spotted Gum | 135x19 | Decking | Reject/shorts | 343 |
| 128 | 17 | Blackbutt | 86x19 | Decking | Reject | 243 |
| 129 | 15 | Spotted Gum | 135x19 | Decking | Reject | 275 |
| 130 | 57 | Ironbark | 110x19 | Decking | Reject | 90 |
| 131 | 182 | Ironbark | 140x35 | Kiln Dried DAR | Reject | 54 |
| 132 | 55 | Ironbark | 86x19 | Decking | Reject | 442 |
| 133 | 49 | Blackbutt | 80x19 | Flooring | Reject/water stain | 369 |
| 134 | 247 | Ash | 130x14 | Lining Board SQ rebate | Reject | 457 |
| 135 | 45 | Ironbark | 135x19 | Decking | Reject | 391 |
| 136 | 83 | Ironbark | 135x21 | Decking | Reject | 85 |
| 137 | 12 | Ironbark | 86x19 | Decking | Reject | 330 |
| 138 | 10 | Ironbark | 135x32 | Decking | Reject | 111 |
| 139 | 59 | Ironbark | 86x19 | Decking | Reject | 268 |
| 140 | 9 | Spotted Gum | 135x32 | Decking | Reject | 207 |
| 141 | 11264 | Stringybark | 140x19 | Allure Cladding | Reject | 212 |

| | | | | | | |
|---|---|---|---|---|---|---|
| 142 | 88 | Ironbark | 80x14 | Lining Board SQ Rebate | Feature | 328 |
| 143 | 25 | Blackbutt | 86x19 | Allure Cladding | Reject | 241 |
| 144 | 58 | Ironbark | 130x19 | Flooring | Reject | 245 |
| 145 | 56 | Ironbark | 130x19 | Flooring | Reject/shorts | 160 |
| 146 | 11 | Ironbark | 135x32 | Decking | Reject | 129 |
| 147 | 5 | Stringybark | 135x19 | Decking | Reject/shorts | 185 |
| 148 | 103 | Blackbutt | 240x35 | Kiln Dried DAR | Seconds | 24 |
| 149 | 102 | Blackbutt | 240x35 | Kiln Dried DAR | Seconds | 27 |
| 150 | 4 | Ironbark | 135x19 | Decking | Reject/shorts | 172 |
| 151 | 3 | Spotted Gum | 135x19 | Decking | Reject/shorts | 225 |
| 152 | 8 | Spotted Gum | 135x19 | Decking | Reject/shorts | 216 |
| 153 | 7 | Ironbark | 135x19 | Decking | Reject | 194 |
| 154 | 2 | Spotted Gum | 135x19 | Decking | Reject | 219 |
| 155 | 1 | Ironbark | 135x19 | Decking | Reject | 166 |
| 156 | 6 | Ironbark | 135x19 | Decking | Reject | 221 |
| 157 | 100 | Spotted Gum | 170x21 | Splayed Cladding | Reject | 102 |
| 158 | 107 | Stringybark | 135x19 | Allure Cladding | Reject | 47 |
| 159 | 101 | Ash | 130x14 | Lining Board SQ Rebate Sawn Face | Reject | 134 |
| 160 | 39 | Blackbutt | 40x19 | Allure Cladding | Reject | 72 |
| 161 | 10070 | Blackbutt | 190x35 | Kiln Dried DAR | Seconds | 21 |
| 162 | 10161 | Mixed Hardwood | 125x19 | Flooring | Reject | 187 |
| 163 | 10670 | Ironbark | 40x30 | Arris Edge Battens | Reject | 60 |
| 164 | 201 | Ironbark | 135x19 | Domain Cladding | Recycled | 70 |
| 165 | 12268 | Ironbark | 190x45 | Kiln Dried DAR | Feature | 10 |
| 166 | 12267 | Spotted Gum | 190x45 | Kiln Dried DAR | Feature | 9 |
| 167 | 14518 | Spotted Gum | 140x18 | Pencil Round Skirting | Reject | 160 |
| 168 | 15443 | Spotted Gum | 140x21 | Shiplap Cladding | Reject | 168 |
| 169 | 123 | Spotted Gum | 140x45 | Kiln Dried DAR | Reject | 34 |
| 170 | 125 | Blackbutt | 70x14 | Flooring | Reject | 150 |
| 171 | 89 | Spotted Gum | 135x32 | Decking | Reject | 30 |
| 172 | 93 | Spotted Gum | 135x19 | Watershield Decking | Reject | 61 |
| 173 | 94 | Brushbox | 110x14 | Flooring | Reject | 177 |
| 174 | 95 | Spotted Gum | 40x30 | Arris Edge Battens | Reject | 92 |
| 175 | 116 | Spotted Gum | 140x21 | Shiplap Cladding | Reject | 93 |
| 176 | 106 | Spotted Gum | 130x21 | Contour Cladding | Reject | 23 |
| 177 | 96 | Blackbutt | 40x19 | Flooring | Reject | 63 |

| | | | | | | |
|---|---|---|---|---|---|---|
| 178 | 121 | Blackbutt | 130x21 | Contour Cladding | Reject | 33 |
| 179 | 122 | Ironbark | 130x21 | Contour Cladding | Reject | 16 |
| 180 | 91 | Forest Red Gum | 86x19 | Allure Cladding | Reject | 17 |
| 181 | 104 | Tassie Oak | 100x22 | Kiln Dried DAR | Reject | 33 |